PATENT NO.

: 6,837,768 B2

Page 1 of 4

APPLICATION NO. : 10/086562

DATED

: January 4, 2005

INVENTOR(S)

: Junji Kawasaki

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1

Line 41, "and" should read -- and/or--.

COLUMN 2

Line 41, "all" should read --an--;

Line 58, "tho" should read --the--; and

Line 63, "front" should read --from--.

COLUMN 3

Line 29, "cross" should read --cross---;

Line 31, "cross section" should read --cross-section--;

Line 38, "air" should read --an--;

Line 40, "cross sectional" should read --cross-sectional--; and

Line 41, "plan" should read --plane--.

COLUMN 4

Line 52, "scaling" should read -- sealing--.

COLUMN 5

Line 13, "cross sectional" should read --cross-sectional--;

Line 27, "Used." should read --used.--;

COLUMN 6

Line 61, "described" should read --ascribed--; and

Line 65, "no" should read --not--.

PATENT NO.

: 6,837,768 B2

Page 2 of 4

APPLICATION NO.: 10/086562

DATED

: January 4, 2005

INVENTOR(S)

: Junji Kawasaki

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 7

Line 9, "a oil" should read -- an oil--;

Line 11, "nay" should read --may--;

Line 15, "basing" should read --based--;

Line 16, "arid" should read -- and --;

Line 27, "acetonitrile" should read --, and acetonitrile,--;

Line 36, "In." should read -- Ie. --; and

Line 43, "arid" should read -- and --.

COLUMN 8

Line 41, "Electrostatic" should read --electrostatic--;

Line 50, "stick" should read -- fix--; and

Line 53, "once to" should read --onto--.

COLUMN 9

Line 2, "be, used" should read --be used--;

Line 5, "groove 211," should read --groove 211.--;

Line 7, "that" should read --in which-- and "substrate," should read

--substrate--;

Line 34, "evaporate" should read --evaporated-- and "may be, mixed" should read -- may be mixed--; and

Line 51, "sheave," should read --sieve,--.

COLUMN 10

Line 13, "scaling" should read -- sealing--.

COLUMN 11

Line 2, "results in leak" should read --result in leaks--;

Line 23, "invention," should read --invention--;

Line 36, "dumped" should read --discarded .--; and

Line 39, "substrate," should read -- substrate--.

PATENT NO.

: 6,837,768 B2

Page 3 of 4

APPLICATION NO.: 10/086562

DATED

: January 4, 2005

INVENTOR(S)

: Junji Kawasaki

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 12

Line 15, "from" should read --form--; and

Line 58, "hPa" should read --kPa-- and "increase," should read --increase--.

COLUMN 13

Line 4, "Lines" should read --lines--;

Line 14, "driver," should read --driver--;

Line 17, "reaches" should read -- reached --;

Line 20, "were" should read --was--;

Line 31, "the," should read --the--;

Line 52, "cross sectional" should read --cross-sectional-- and "a" should read --an--; and

Line 58, "n" should read --a--.

COLUMN 14

Line 27, "the," should read --the--;

Line 30, "wars" should read --was--;

Line 33, "frame," should read --frame--;

Line 45, "attached" should read --that attached--;

Line 46, "formed," should read --formed.--; and

Line 55, "visa" should read --via--.

PATENT NO.

: 6,837,768 B2

Page 4 of 4

APPLICATION NO.: 10/086562

DATED

: January 4, 2005

INVENTOR(S)

: Junji Kawasaki

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 15

Line 8, "firm" should read --film--.

Signed and Sealed this

Fifth Day of December, 2006

JON W. DUDAS Director of the United States Patent and Trademark Office